

L Number	Hits	Search Text	DB	Time stamp
1	2	("5697055").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:52
2	2	("6181738").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:52
3	2	("6515975").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:52
4	2	("5640414").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:53
5	2	("5487164").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:53
6	2	("5487174").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 11:59
7	2	("6021328").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/03 12:00
-	0	60159050.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:43
-	4	159050.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:51
-	0	60159050.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 15:45
-	271	E/N	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:53
-	6588	handoff\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:56

-	36	(intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) same handoff\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:26
-	4	("5640414" "5652748" "5940762" "6160999").PN.	USPAT	2004/01/30 18:07
-	5	Ec/Io and Eb/Nt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 18:22
-	63	Eb/Nt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 18:24
-	35	Eb/Nt and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 18:54
-	15	("5511067" "5619526" "5625876" "5633868" "5745523" "5790533" "5881361" "5884181" "5933787" "5940762" "6038263" "6038458" "6067290" "6075990" "6122266").PN.	USPAT	2004/01/30 18:34
-	6	("5175867" "5548812" "5867791" "5999522" "6035183" "6195342").PN.	USPAT	2004/01/30 18:40
-	1233	Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:51
-	15406	hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:25
-	30921	cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:26
-	4427560	offset\$4 or adjust\$4 or equal\$4 or balanc\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:28
-	204	370/318.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:07
-	66	370/318.ccls. and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:07
-	55	370/318.ccls. and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:07

-	19	370/318.ccls. and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$)) and (((origin\$6 or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)) and ((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:07
-	88	(intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) same (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:29
-	1	(intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) same (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1) and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near3 ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:28
-	52	((intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) same (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1)) not ((intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) same handoff\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:30
-	14322	((origin\$6 or main or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:27
-	6970	((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:39
-	1	((origin\$6 or main or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1))) same (less\$4 near3 equa\$4) same (((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1))) same (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:41
-	26	((origin\$6 or main or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1))) same (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near3 ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:44
-	19	((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1))) same (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near3 ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:44

-	9	(((((origin\$6 or main or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)))) same (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1))) and (((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1))) same (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 19:44
-	4	("5640414" "5652748" "5940762" "6160999").PN.	USPAT	2004/02/01 13:12
-	10	("5101501" "5267261" "5533014" "5682416" "5697055" "5946621" "5953320" "5999815" "5999816" "6058107").PN.	USPAT	2004/02/01 13:17
-	21	5903554.URPN.	USPAT	2004/02/01 14:22
-	146006	intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:07
-	14003	hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and (intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:40
-	676	370/331.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:41
-	402	370/332.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:35
-	52	370/317.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:42
-	204	370/318.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:42
-	368	370/320.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:42
-	159	(determin\$4 or calculat\$4 or comput\$4 or decid\$4) near10 first near10 second near10 sum\$4 near10 (offset\$4 or off-set\$4 or adjust\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:50
-	2615	(determin\$4 or calculat\$4 or comput\$4 or decid\$4) same first same second same sum\$4 same (offset\$4 or off-set\$4 or adjust\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:46

-	4	370/331.ccls. and ((determin\$4 or calculat\$4 or comput\$4 or decid\$4) same first same second same sum\$4 same (offset\$4 or off-set\$4 or adjust\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:57
-	1233	Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:17
-	1036	(obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 16:33
-	1477	(obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 14:57
-	28	370/331.ccls. and ((obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:47
-	4508171	offset\$4 or adjust\$4 or equal\$4 or balanc\$4 or delta\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:18
-	28586	cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:34
-	16267	(obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:05
-	1433	Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4) and ((obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:35

-	19	370/332.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4) and ((obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:46
-	33	370/331.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:47
-	25	(370/331.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))) not (370/332.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4) and ((obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:47
-	5	(370/331.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))) not (370/331.ccls. and ((obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:47
-	1	370/333.ccls. and ((determin\$4 or calculat\$4 or comput\$4 or decid\$4) same first same second same sum\$4 same (offset\$4 or off-set\$4 or adjust\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:49
-	3	370/333.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4) and ((obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:51

-	3	370/333.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:51
-	94	370/333.ccls. and (offset\$4 or adjust\$4 or equal\$4 or balanc\$4 or delta\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 15:51
-	120	370/333.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 16:26
-	20	455/442.ccls. and (intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 17:24
-	47	455/442.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 16:32
-	43	(obtain\$4 or accquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and (455/442.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:24
-	14	("5771451" "5862453" "5963870" "6073025" "6119005" "6151508" "6154659" "6160999" "6188678" "6253085" "6304562" "6305210" "6307849" "6351650" "2001/0007552" "2001/0030948" "2002/0002057" "2002/0018453").PN.	USPAT	2004/02/01 16:39
-	6	("5175867" "5548812" "5867791" "5999522" "6035183" "6195342").PN.	USPAT	2004/02/01 17:02
-	481	455/437.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:53
-	31	455/437.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 17:25

-	26	455/437.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 17:32
-	286	455/439.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 17:36
-	11	455/439.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 17:37
-	1205	455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:00
-	154	455/522.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 17:37
-	92	455/522.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and (intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:00
-	8	("5537410" "5604730" "5812938" "5822318" "5839056" "5933781" "5963870" "5991284").PN.	USPAT	2004/02/01 17:51
-	1708	455/436.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:00

-	34	455/436.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and (intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:04
-	36	455/436.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)) and (cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and 370/332.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:05
-	1073	(obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and 455/436.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/01 18:06
-	42	(obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and 455/436.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:54
-	175	455/438.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:03
-	4	(obtain\$4 or acquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4) and 455/438.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:02
-	286	455/439.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:06
-	4	455/438.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:03

-	14	455/439.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:10
-	229	455/440.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:14
-	146006	intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g and 455/440.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:07
-	8	(intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g) or 2g-3g or 3g-2g) and 455/440.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:07
-	10	455/440.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:14
-	106	455/441.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:15
-	9	455/441.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:15
-	285	455/525.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:18
-	18	455/525.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:19
-	494	455/552.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:18

-	7	455/552.1.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:22
-	400	455/442.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:21
-	47	455/442.ccls. and (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:22
-	1801	Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:23
-	5897332	(obtain\$4 or accquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:25
-	5311	((origin\$6 or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)) and ((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:27
-	353	((obtain\$4 or accquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4)) same (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:26
-	5311	(origin\$6 or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)) and ((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:30
-	2	((origin\$6 or servic\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)) and ((target\$4 or second\$1 or secondar\$4) near3 (base near3 station\$1)) same (((obtain\$4 or accquir\$4 or obtain\$4 or measur\$4 or get\$4 or find\$4 or attatin\$4)) same (Eb/Nt or (power near3 require\$6 near3 mobile\$4 near3 (unit\$1 or station\$1)) or (noise\$3 near3 densit\$4 near ratio\$1) or (energy\$1 near3 bit\$1 near3 (divid\$4 or per) near3 (noise\$1 near3 densit\$4)) or (averag\$4 near3 power\$1 near3 bit\$1) or ((requir\$4 or minimum\$1) near3 (mobile\$1 or ms or mu) near3 power\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 12:03

-	2	("4901307").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:25
-	549	4901307.URPN.	USPAT;	2004/02/02 12:05
-	666	Eb/No	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:25
-	13963	hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and Eb/No	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:37
-	778	(intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and Eb/No)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:38
-	28590	cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$) and ((intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and Eb/No))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:27
-	400	(cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$)) and ((intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and Eb/No))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:27
-	342	(offset\$4 or adjust\$4 or equal\$4 or balanc\$4 or delta) and ((cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$)) and ((intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and Eb/No)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:29
-	5536	(origin\$6 or servic\$4 or activ\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)) and ((target\$4 or second\$1 or secondar\$4 or candida\$4) near3 (base near3 station\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:31
-	110	((offset\$4 or adjust\$4 or equal\$4 or balanc\$4 or delta) and ((cdma or (code near3 division\$1 near3 multiple\$4 near3 access\$)) and ((intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) and (hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1 and Eb/No)))) and ((origin\$6 or servic\$4 or activ\$4 or first or primar\$4 or initia\$4) near3 (base near3 station\$1)) and ((target\$4 or second\$1 or secondar\$4 or candida\$4) near3 (base near3 station\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:32
-	190	(hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1) and Eb/No	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:37
-	27	(intergenerat\$4 or inter-generat\$4 or (differen\$4 near3 generat\$4) or (2g near5 3g) or (2.5g near5 3g)) and ((hand-off\$1 or handoff\$1 or handover\$1 or hand-over\$1) and Eb/No)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:38